Naveen Shodh Sansar (An International Refereed / Peer Review Multidisciplinary Research Journal)
RNI No.- MPHIN/2013/60638, ISSN 2320-8767, E- ISSN 2394-3793, Scientific Journal Impact Factor (SJIF)- 8.054,
April to June 2026, E-Journal, Vol. I, Issue LIV (54), ISO 9001:2015 - E2024049304 (QMS)

Impact of a Three-Month Yogic Intervention on State Anxiety and Concentration Levels Among State and National Level Adolescent Athletes

Khomeshswari Sahu* Dr. Malati Bag**

*PhD Scholar, Rawatpura Sarkar University, Raipur (C.G.) INDIA
** Assistant Professor, Shri Rawatpura Sarkar University, Raipur (C.G.) INDIA

Abstract: This research examines the effectiveness of a structured three-month yoga program on psychological factors—specifically State Anxiety and Concentration—among adolescent athletes aged 14 to 19. Using a pre-test and post-test experimental design, 60 participants from the Khelo India SAI Center and Bahatarai Stadium in Bilaspur were split into control and experimental groups. Data was gathered through the State-Trait Anxiety Inventory (STAI) and a standardized concentration measurement. Statistical evaluations indicated a significant decrease in state anxiety and a notable enhancement in concentration scores after the program. The results imply that incorporating yoga into training routines for athletes may boost psychological resilience and cognitive focus in competitive sports settings.
Keywords: Yoga intervention, State Anxiety, Concentration, Adolescent athletes, Sports psychology, Khelo India, Bilaspur.

Introduction - In the world of competitive sports, an athlete's mental health is just as important as their physical ability. Teenage athletes, especially those who compete at the state and national levels, are under a lot of strain, which frequently shows up as high levels of anxiety. Anxiety of this kind might make it difficult to focus, which can result in less than ideal performance. The ancient Indian practice of yoga, which combines physical poses (asanas), breathing exercises (pranayama), and meditation, has been suggested as a comprehensive way to enhance mental clarity and regulate the autonomic nervous system. Adolescence is a crucial developmental period characterized by quick changes in social, psychological, and physical aspects of life. Athletes that compete at the state and national levels frequently face increased performance expectations, demanding training regimens, and competitive pressures during this time, which can lead to increased anxiety and decreased focus. Decision-making, sports performance, and general well-being can all be adversely affected by state anxiety, which is typified by transient emotions of stress and anxiety. Similar to this, concentration—the capacity to stay focused on pertinent information while blocking out distractions—is necessary for success in sports, where timing, accuracy, and sustained attention are critical. Therefore, it is essential to address these psychological aspects in order to maximize adolescent athletes' performance and personal development.Yogic techniques, which have their roots in ancient Indian traditions, are becoming more widely acknowledged as useful methods for improving mental and cognitive wellness. Asanas (postures), pranayama (breathing exercises), and dhyana (meditation) are methods that are known to control physiological arousal, encourage relaxation, and enhance attentional control. Prior studies have shown that yoga therapies can improve focus, lower stress, and ease anxiety in a variety of populations. The effects of systematic yoga programs on teenage athletes participating in competitive sports, however, have not been thoroughly studied. This study investigates how a three-month yoga intervention affects teenage athletes competing at the state and national levels in terms of anxiety and focus. The technique attempts to offer comprehensive advantages that go beyond physical fitness by including yoga into their training regimens, promoting psychological resilience and cognitive clarity. In addition to providing useful information for coaches, educators, and legislators looking to improve athlete performance and well-being, the results are anticipated to add to the expanding body of research endorsing yoga as a supplemental method of sports training. In the end, this study highlights yoga's potential as a long-term, non-invasive method for fostering young athletes' healthy growth.

Methodology: The study involves a sample of 60 athletes aged 14–19 years, selected through purposive sampling. Participants are divided into two equal cohorts to ensure a comparative framework: an Experimental Group (n=30) and a Control Group (n=30). Given the age range, ethical clearance was obtained, ensuring parental consent and participant assent. Research activities are conducted at Govt. H.S.S. Shivtarai, Kota, and Bahatarai Stadium, Bilaspur. The latter is a recognized Khelo India SAI Center,

providing a professional-grade environment with standardized equipment, ensuring high internal validity for training interventions and data collection.

Hypotheses

H1 (State Anxiety Hypothesis): *A three month yogic intervention will significantly reduce state anxiety levels among adolescent athletes compared to the control group.*

Result- Accepted.

Reasoning- Statistical analysis ($p < 0.01$) confirmed a significant decrease in state anxiety scores in the experimental group following the intervention.

H2 (Concentration Hypothesis): *A three month yogic intervention will significantly improve concentration levels among adolescent athletes compared to the control group.*

Result: Accepted.

Reasoning: Post intervention concentration scores showed a notable enhancement (Mean = 32.54, $p < 0.01$), indicating improved attentional control and focus among athletes who practiced yoga. Both hypotheses were **accepted**, demonstrating that yoga effectively reduces competitive anxiety and enhances concentration in adolescent athletes. This validates the study's objective and supports the integration of yoga into structured athletic training programs for psychological resilience and performance optimization.

Descriptive Statistics

Variable	Phase	Mean (μ)	Std. Deviation (σ)
State Anxiety	Pre-Intervention	**138.83**	11.24
Concentration	Post-Intervention	**32.54**	6.52


For both variables, descriptive statistics were computed. The pre-intervention mean (μ) for state anxiety was 138.83, indicating that participants had high levels of situational anxiety before the yoga practice. On the other hand, concentration levels improved during the post-intervention phase, with a mean score of 32.54, suggesting improved cognitive focus and attentional control after the intervention. In order to evaluate sample variability and provide a trustworthy depiction of the score distribution, standard deviations (σ) were also calculated.

The observed mean shifts indicate that the yogic practices, which included Surya Namaskar, Pranayama, and Dhyana, helped the athletes focus better and experience less anxiety. These initial findings demonstrate yoga's potential as an additional training method that enhances athletic performance through psychological advantages. The statistical significance of these results and their wider ramifications will be made clear by additional inferential analysis.

Intervention: The present study employs a controlled experimental design to examine the psychological impact of a structured yoga program on adolescent athletes. The Experimental Group participates in a specialized three month regimen consisting of daily 60 minute sessions. Each session integrates three core components: physical postures such as Surya Namaskar to enhance flexibility and physical endurance, breathing exercises (Pranayama) to regulate physiological arousal and promote relaxation, and meditation (Dhyana) to cultivate mindfulness and sustained attention. This holistic approach is intended to reduce anxiety and strengthen concentration by harmonizing body and mind.In contrast, the Control Group continues with their regular athletic training routines without exposure to the yoga intervention. This distinction allows for a clear comparison of outcomes attributable specifically to the yogic practices.

Instrumentation: Standardized instruments are used to evaluate psychological impacts. Athletes' situational emotional reactions are reliably revealed by the State-Trait Anxiety Inventory (STAI), which is used to gauge present state anxiety levels. Additionally, cognitive focus and attentional control are assessed using a validated Concentration Scale, which measures the athletes' capacity to maintain focus under pressure. When used in tandem, these tools guarantee objective assessment of the intervention's effects, providing solid data for assessing yoga's contribution to improving adolescent athletes' psychological resilience and performance.

Objective: The study aims to determine whether the consistent practice of yoga over a three-month period can significantly reduce competitive anxiety and enhance concentration levels in young athletes.




ComparativeAnalysis: The data indicates a high baseline of state anxiety among the athletes (Mean≈138.8\approx

138.8≈138.8). Following the intervention, the concentration levels were recorded with a mean of 32.5432.5432.54. To evaluate the significance, we apply a Paired t-test (assuming the experimental group's pre-post transition). the mean difference between pre and post scores.

Discussion: The results demonstrate that adolescent athletes exhibit high anxiety levels, likely due to the competitive nature of the Khelo India environment. The concentration scores post-intervention (Mean = 32.54) indicate a stabilized cognitive state. The reduction in anxiety through yoga is attributed to the activation of the Parasympathetic Nervous System, which counteracts the "fight or flight" response prevalent during competitions. The findings suggest that the systematic application of Surya Namaskar, Pranayama, and Dhyana creates a stabilizing effect on the cognitive state of teenage athletes. The reduction in anxiety scores indicates that yogic techniques help athletes manage situational stress, which is critical for performance at state and national levels.

By fostering psychological resilience, yoga acts as a non-invasive, cost-effective supplemental training method. The data aligns with Singh (2025), who observed that yoga provides superior mental health benefits compared to traditional physical exercise alone in Indian adolescent populations.

Visual Representation of Trend: The following plot illustrates the relationship between the initial anxiety levels and the resulting concentration levels post-yoga.



Result : According to descriptive statistics, participants had comparatively high levels of situational anxiety before the program, with a mean pre-intervention State Anxiety score of 138.83 and a standard deviation of 11.24. On the other hand, after the intervention, attentional control and cognitive focus improved, as evidenced by the mean post-intervention concentration score of 32.54 with a standard deviation of 6.52.Inferential testing was performed at a significance level (á) of 0.05 to ascertain the statistical significance of these observed changes. The results showed that $p < 0.01$, indicating that the gain in focus and decrease in anxiety were directly related to the yoga practice rather than the result of chance. This result emphasizes how beneficial it is for athletes to incorporate breathing techniques, physical postures, and meditation into their everyday routines.

The conclusion that a structured yoga intervention can lower state anxiety and improve concentration in teenage athletes competing at the state and national levels is generally well supported by the evidence. These findings demonstrate yoga's potential as an additional training method that can improve performance in competitive sports and build psychological resilience.

Conclusion: Yoga effectively reduces state anxiety and improves concentration in competitive athletes, as evidenced by the three-month intervention. It is advised that SAI centers and sports authorities incorporate yoga into the required training program for young athletes in order to maximize performance and mental health. Players at the state and national levels greatly benefited from the three-month yoga intervention. Athletes were able to sustain higher levels of concentration by lowering state anxiety. To maximize athletic performance and mental health, sports officials should make yoga a required part of the training curriculum at SAI facilities.

References:-

1. Spielberger, C. D. (1983). *Manual for the State-Trait Anxiety Inventory*.
2. Sahay, B. K. (2007). Role of yoga in diabetes. *Journal of the Association of Physicians of India*.
3. Telles, S., et al. (2012). Effect of yoga on mental health in children. *Evidence-Based Complementary and Alternative Medicine*.
4. Saraswati, P., Kanaujia, S., Thakur, G. S., & Kapri, B. C. (2025). *An Investigation of the Effects of Yoga on the Psychological Well-Being of Young Athletes: A Randomized Controlled Trial.* Cureus, 17(6): e85452. doi:10.7759/cureus.85452
5. Singh, K. (2025). *A Comparative Study on the Impact of Yoga and Physical Exercises on Mental Health of Indian Adolescents.* International Journal of Physical Education, Sports and Health, 12(5), 373–379. doi:10.22271/kheljournal.2025.v12.i5f.4004
6. Springer (2024). *The Impact of a 12-Week Yoga Intervention on Attentional Processes in Children.* SpringerLink.
7. Yu, Q., & Liu, Z. (2026). *Effectiveness of Yoga Training Program as a Pre-Exercise Activity on Sport Anxiety and Athletic Mental Energy in Adolescent Football Players.* Acta Psychologica, 265, 106690. doi:10.1016/j.actpsy.2026.106690
8. Research Square (2026). *The Effects of Yoga Training Program as a Complementary Pre-Exercise Activity on Sport Anxiety in Adolescent Football Players.*
9. Khalsa, S. B. S., Hickey-Schultz, L., Cohen, D., Steiner, N., & Cope, S. (2012). *Evaluation of the Mental Health Benefits of Yoga in a Secondary School: A Preliminary Randomized Controlled Trial.* Journal of Behavioral Health Services & Research, 39(1), 80–90.

10. Telles, S., Singh, N., & Balkrishna, A. (2012). *Yoga Reduces Symptoms of Distress in Adolescents.* International Journal of Yoga, 5(2), 102–109.
11. Field, T. (2011). *Yoga Clinical Research Review.* Complementary Therapies in Clinical Practice, 17(1), 1–8.
12. Sharma, M. (2014). *Yoga as an Alternative and Complementary Treatment for Anxiety.* Journal of Evidence-Based Complementary & Alternative Medicine, 19(1), 59–67.
13. Jensen, P. S., Kenny, D. T., & Ellis, P. (2013). *Yoga as a Treatment for Chronic Anxiety in Adolescents: A Pilot Study.* Journal of Child and Adolescent Mental Health, 25(2), 111–119.

****